



**INSTITUTE OF BUSINESS ADMINISTRATION, KARACHI**  
**ADMISSION TEST FOR UNDERGRADUATES PROGRAM, ROUND-1 (FALL 2016)**  
**TEST HELD ON FEBRUARY 28, 2016**

The following candidates who appeared in the Aptitude test on February 28, 2016 for admission in the BBA / BS programs do not qualify for the interviews. These candidates do not meet the following cut-off scores :

<b>BBA / BS PROGRAM</b>					
<b>Cut-Off Scores</b>		Math MCQ	Engl MCQ	Total MCQ	Total ALL
		90	60	170	180

Ser No	Seat No	Name	Father Name	Math MCQ	Eng MCQ	Total MCQ	Eng Essay	Total ALL
			<b>Maximum Marks</b>	200	196	396	20	416
379	721			93	77	170	7	177
380	1753			91	80	171	6	177
381	2020			91	79	170	8	178
382	2715			103	68	171	6	177

\_\_\_\_\_  
**Dr. Nasir Touheed**  
 Coordinator, Testing Service

\_\_\_\_\_  
**Dr. Ishrat Husain**  
 Dean & Director, IBA



**INSTITUTE OF BUSINESS ADMINISTRATION, KARACHI**  
**ADMISSION TEST FOR UNDERGRADUATES PROGRAM, ROUND-1 (FALL 2016)**  
**TEST HELD ON FEBRUARY 28, 2016**

The following candidates who appeared in the Aptitude test on February 28, 2016 for admission in the BBA / BS programs do not qualify for the interviews. These candidates do not meet the following cut-off scores :

<b>BBA/BS Programs</b>			
<b>Cut-Off Scores</b>	Math MCQ	Engl MCQ	Total MCQ
		90	60

Their English scripts were not checked because they were not meeting the above cut-off scores:

Ser No	Seat No	Name	Father Name	Math MCQ	Eng MCQ	Total MCQ
383	101			40	42	82
384	102			85	56	141
385	103			49	101	150
386	104			25	45	70
387	105			1	116	117
388	106			42	71	113
389	107			81	83	164
390	108			96	51	147
391	110			71	74	145
392	111			35	71	106
393	113			33	61	94
394	114			3	91	94
395	115			15	110	125
396	116			63	80	143
397	117			53	53	106
398	118			33	62	95
399	119			49	46	95
400	120			-10	38	28

				Aptitude	Test Result	announced Date: March 10, 2016
401	121			35	55	90
402	122			85	76	161
403	123			46	52	98
404	124			33	129	162
405	126			46	61	107
406	127			43	67	110
407	128			61	52	113
408	129			13	46	59
409	130			53	78	131
410	132			12	81	93
411	133			80	64	144
412	134			17	121	138
413	135			6	36	42
414	136			52	36	88
415	137			30	64	94
416	138			24	87	111
417	139			30	87	117
418	141			11	100	111
419	142			27	70	97
420	146			24	52	76
421	147			29	75	104
422	148			39	85	124
423	149			16	71	87
424	150			56	96	152
425	151			6	54	60
426	152			32	91	123
427	153			35	99	134
428	154			54	46	100
429	155			30	48	78
430	157			46	40	86
431	158			35	82	117
432	159			25	45	70

433	160			37	86	123
434	161			12	49	61
435	162			39	110	149
436	163			86	100	186
437	164			-1	51	50
438	165			5	80	85
439	167			16	79	95
440	168			46	111	157
441	169			69	52	121
442	170			95	74	169
443	172			75	67	142
444	173			26	97	123
445	175			25	89	114
446	178			26	48	74
447	179			18	94	112
448	180			26	71	97
449	181			44	92	136
450	182			60	53	113
451	183			31	73	104
452	184			44	88	132
453	185			83	101	184
454	187			25	9	34
455	188			25	63	88
456	190			77	66	143
457	191			9	35	44
458	192			51	106	157
459	193			32	77	109
460	194			25	49	74
461	195			50	81	131
462	196			57	78	135
463	198			37	120	157
464	199			29	76	105

465	200			34	116	150
466	201			34	79	113
467	204			31	46	77
468	207			70	90	160
469	208			56	107	163
470	209			71	97	168
471	211			37	36	73
472	212			28	41	69
473	213			-2	38	36
474	214			30	59	89
475	216			77	74	151
476	217			2	101	103
477	218			1	79	80
478	220			75	130	205
479	221			89	63	152
480	222			38	91	129
481	223			49	106	155
482	226			38	97	135
483	227			12	92	104
484	228			49	94	143
485	229			54	97	151
486	230			20	111	131
487	232			19	110	129
488	233			62	81	143
489	234			16	106	122
490	235			62	67	129
491	236			19	54	73
492	237			20	67	87
493	238			32	87	119
494	239			18	51	69
496	242			61	26	87
497	244			28	53	81

498	245			51	58	109
499	246			39	73	112
500	248			14	83	97
501	249			23	27	50
502	250			22	63	85
503	251			86	67	153
504	252			10	77	87
505	253			-6	49	43
506	254			64	98	162
507	255			76	87	163
508	256			33	77	110
509	401			2	51	53
510	402			55	97	152
511	403			71	79	150
512	404			79	34	113
513	405			23	59	82
514	406			23	26	49
515	407			75	91	166
516	408			20	73	93
517	409			57	86	143
518	410			116	56	172
519	412			76	107	183
520	413			37	46	83
521	414			46	27	73
522	415			9	60	69
523	417			56	85	141
524	418			69	60	129
525	419			20	50	70
526	421			61	92	153
527	422			28	71	99
528	423			27	48	75
529	424			55	51	106

530	425			40	42	82
531	427			51	75	126
532	428			56	75	131
533	429			41	96	137
534	431			16	53	69
535	432			32	30	62
536	433			12	77	89
537	434			41	96	137
538	435			64	66	130
539	436			2	66	68
540	437			63	102	165
541	439			65	89	154
542	440			66	109	175
543	441			56	67	123
544	444			5	87	92
545	446			6	50	56
546	447			27	99	126
547	448			42	63	105
548	449			65	81	146
549	452			48	91	139
550	454			57	103	160
551	455			35	66	101
552	457			35	48	83
553	459			53	76	129
554	460			42	127	169
555	461			90	52	142
556	462			73	83	156
557	463			31	106	137
558	465			49	59	108
559	466			15	96	111
560	468			2	27	29
561	469			77	102	179

562	470			14	36	50
563	473			-4	53	49
564	475			32	102	134
565	477			1	33	34
566	479			51	49	100
567	480			69	101	170
568	482			19	70	89
569	486			52	104	156
570	487			69	115	184
571	488			55	91	146
572	489			38	88	126
573	490			63	32	95
574	491			30	70	100
575	493			77	64	141
576	494			33	75	108
577	496			29	69	98
578	497			29	101	130
579	498			18	60	78
580	499			-1	57	56
581	500			15	91	106
582	503			11	76	87
583	504			42	58	100
584	506			17	19	36
585	508			61	80	141
586	509			60	41	101
587	510			84	45	129
588	511			35	96	131
589	513			58	44	102
590	514			24	87	111
591	515			22	62	84
592	516			7	93	100
593	517			54	51	105



594	519			72	67	139
595	521			38	92	130
596	701			28	45	73
597	702			31	73	104
598	703			22	67	89
599	704			23	108	131
600	705			31	57	88
601	706			12	17	29
602	707			87	84	171
603	708			33	60	93
604	709			16	24	40
605	710			82	62	144
606	711			-9	23	14
607	712			-5	26	21
608	713			65	71	136
609	714			30	31	61
610	715			12	38	50
611	716			70	69	139
612	717			62	79	141
613	718			9	15	24
614	722			32	48	80
615	723			67	64	131
616	724			9	7	16
617	725			-4	56	52
618	727			42	46	88
619	728			73	82	155
620	729			12	29	41
621	730			36	78	114
622	731			16	26	42
623	732			48	67	115
624	733			24	53	77
625	734			56	102	158

626	735			55	75	130
627	736			13	62	75
628	737			70	111	181
629	738			68	60	128
630	739			38	48	86
631	740			7	54	61
632	741			50	96	146
633	742			78	73	151
634	744			16	62	78
635	745			46	121	167
636	747			14	69	83
637	748			37	72	109
638	749			68	86	154
639	750			15	16	31
640	751			1	55	56
641	752			25	29	54
642	753			13	36	49
643	754			15	78	93
644	755			39	41	80
645	756			16	80	96
646	757			66	65	131
647	758			58	60	118
648	759			71	117	188
649	760			11	87	98
650	761			85	134	219
651	763			28	45	73
652	764			14	42	56
653	765			14	51	65
654	766			-2	66	64
655	767			17	36	53
656	768			28	42	70
657	769			35	50	85

658	770			11	41	52
659	771			9	65	74
660	772			28	112	140
661	773			13	107	120
662	774			79	72	151
663	775			10	0	10
664	1001			86	132	218
665	1002			67	96	163
666	1003			67	110	177
667	1004			76	75	151
668	1005			88	104	192
669	1006			1	72	73
670	1007			86	49	135
671	1008			19	18	37
672	1009			28	104	132
673	1010			91	66	157
674	1011			58	86	144
675	1012			30	40	70
676	1013			9	41	50
677	1014			65	104	169
678	1015			52	82	134
679	1016			74	131	205
680	1017			88	90	178
681	1018			6	51	57
682	1019			34	73	107
683	1020			26	49	75
684	1021			61	80	141
685	1023			7	30	37
686	1025			39	34	73
687	1026			-3	53	50
688	1027			110	39	149
689	1028			28	56	84

690	1029			49	89	138
691	1030			20	55	75
692	1032			-23	30	7
693	1033			74	118	192
694	1034			59	80	139
695	1035			25	55	80
696	1037			88	95	183
697	1038			29	38	67
698	1039			61	85	146
699	1040			68	119	187
700	1041			13	54	67
701	1042			21	88	109
702	1043			-10	66	56
703	1044			6	31	37
704	1045			63	89	152
705	1047			81	85	166
706	1048			98	71	169
707	1050			25	67	92
708	1051			99	42	141
709	1052			86	69	155
710	1053			49	73	122
711	1055			34	60	94
712	1056			24	79	103
713	1057			76	132	208
714	1058			57	99	156
715	1060			18	50	68
716	1061			54	69	123
717	1065			37	47	84
718	1066			5	23	28
719	1067			18	57	75
720	1068			13	131	144
721	1069			10	41	51

722	1070			88	125	213
723	1073			34	83	117
724	1077			12	41	53
725	1078			35	59	94
726	1079			23	32	55
727	1080			31	31	62
728	1081			39	49	88
729	1082			44	53	97
730	1083			70	121	191
731	1084			75	73	148
732	1085			71	97	168
733	1087			72	98	170
734	1088			50	91	141
735	1090			48	39	87
736	1091			33	80	113
737	1092			71	81	152
738	1094			60	41	101
739	1095			42	36	78
740	1096			23	64	87
741	1097			35	77	112
742	1098			71	74	145
743	1099			66	62	128
744	1100			63	74	137
745	1101			33	36	69
746	1102			18	81	99
747	1104			82	77	159
748	1105			78	72	150
749	1107			4	52	56
750	1108			-7	96	89
751	1109			75	132	207
752	1110			28	89	117
753	1111			19	34	53

754	1112			73	109	182
755	1113			14	59	73
756	1115			26	73	99
757	1116			14	40	54
758	1117			78	100	178
759	1118			90	78	168
760	1119			2	43	45
761	1120			1	55	56
762	1121			-1	110	109
763	1122			11	47	58
764	1125			40	102	142
765	1126			33	103	136
766	1127			6	51	57
767	1128			112	59	171
768	1129			59	100	159
769	1130			86	90	176
770	1131			17	73	90
771	1132			46	47	93
772	1133			54	65	119
773	1135			20	121	141
774	1136			69	79	148
775	1137			84	95	179
776	1138			41	47	88
777	1139			62	47	109
778	1140			31	66	97
779	1141			11	89	100
780	1142			46	89	135
781	1143			68	78	146
782	1145			31	85	116
783	1146			3	74	77
784	1147			52	50	102
785	1149			16	7	23

				Aptitude	Test Result	announced
786	1150			51	37	88
787	1151			25	33	58
788	1152			16	41	57
789	1153			34	35	69
790	1154			19	42	61
791	1155			60	101	161
792	1156			13	48	61
793	1157			83	84	167
794	1158			16	38	54
795	1159			60	107	167
796	1160			30	34	64
797	1161			15	44	59
798	1162			40	54	94
799	1163			65	85	150
800	1165			37	83	120
801	1166			30	102	132
802	1167			65	38	103
803	1168			23	8	31
804	1169			38	37	75
805	1170			40	87	127
806	1171			57	128	185
807	1172			33	96	129
808	1173			77	62	139
809	1174			13	36	49
810	1175			-2	34	32
811	1176			60	86	146
812	1177			89	48	137
813	1178			67	77	144
814	1179			31	45	76
815	1180			55	70	125
816	1182			81	117	198
817	1183			55	60	115

				Aptitude	Test Result	announced
818	1184			75	79	154
819	1185			54	86	140
820	1186			37	39	76
821	1187			3	53	56
822	1188			39	75	114
823	1189			58	108	166
824	1190			30	77	107
825	1191			45	59	104
826	1192			31	70	101
827	1196			60	73	133
828	1197			76	72	148
829	1199			95	70	165
830	1200			50	67	117
831	1201			27	54	81
832	1202			16	118	134
833	1203			6	46	52
834	1204			53	52	105
835	1205			72	51	123
836	1206			65	82	147
837	1207			-23	67	44
838	1208			39	119	158
839	1210			11	33	44
840	1211			77	62	139
841	1212			50	98	148
842	1213			65	96	161
843	1214			49	91	140
844	1215			34	110	144
845	1216			59	102	161
846	1217			18	71	89
847	1218			68	70	138
848	1219			93	58	151
849	1220			73	90	163



				Aptitude	Test Result	announced
850	1221			21	45	66
851	1222			20	78	98
852	1223			58	82	140
853	1224			48	77	125
854	1225			46	77	123
855	1226			38	52	90
856	1227			58	68	126
857	1233			31	58	89
858	1234			74	67	141
859	1236			24	57	81
860	1237			64	40	104
861	1240			42	73	115
862	1242			43	74	117
863	1243			78	66	144
864	1244			35	23	58
865	1245			23	112	135
866	1246			18	35	53
867	1247			28	55	83
868	1248			42	60	102
869	1249			62	68	130
870	1250			47	58	105
871	1251			4	54	58
872	1252			9	76	85
873	1253			23	112	135
874	1254			68	74	142
875	1256			56	76	132
876	1258			99	64	163
877	1259			28	33	61
878	1260			38	47	85
879	1261			37	131	168
880	1262			60	27	87
881	1264			95	68	163

				Aptitude	Test Result	announced
882	1265			50	53	103
883	1266			70	95	165
884	1267			20	109	129
885	1268			55	112	167
886	1269			94	64	158
887	1270			61	29	90
888	1271			70	107	177
889	1272			34	66	100
890	1273			44	53	97
891	1275			19	45	64
892	1276			47	125	172
893	1277			11	58	69
894	1278			45	66	111
895	1279			33	85	118
896	1280			60	69	129
897	1281			25	82	107
898	1282			53	63	116
899	1284			55	91	146
900	1286			54	49	103
901	1287			33	43	76
902	1291			48	56	104
903	1292			66	104	170
904	1294			49	86	135
905	1295			66	101	167
906	1296			14	39	53
907	1297			23	147	170
908	1298			61	37	98
909	1299			54	75	129
910	1300			36	43	79
911	1303			14	49	63
912	1304			28	64	92
913	1307			50	131	181

				Aptitude	Test Result	announced
914	1308			28	107	135
915	1309			9	80	89
916	1310			35	101	136
917	1311			-5	73	68
918	1312			25	59	84
919	1313			24	47	71
920	1314			27	83	110
921	1315			62	61	123
922	1316			11	53	64
923	1317			95	74	169
924	1318			-3	50	47
925	1319			71	30	101
926	1320			24	72	96
927	1321			50	79	129
928	1322			30	79	109
929	1323			24	83	107
930	1324			92	54	146
931	1325			25	28	53
932	1326			11	31	42
933	1327			34	23	57
934	1328			46	34	80
935	1329			-1	27	26
936	1330			19	65	84
937	1331			20	39	59
938	1332			-4	35	31
939	1333			79	93	172
940	1334			79	84	163
941	1335			53	98	151
942	1336			15	26	41
943	1337			23	47	70
944	1338			14	15	29
945	1339			27	24	51

				Aptitude	Test Result	announced
946	1340			5	116	121
947	1341			10	57	67
948	1342			15	68	83
949	1343			33	111	144
950	1344			-6	62	56
951	1345			28	51	79
952	1347			84	105	189
953	1348			27	74	101
954	1350			39	27	66
955	1351			60	98	158
956	1352			27	68	95
957	1353			47	17	64
958	1354			80	111	191
959	1356			66	110	176
960	1357			49	101	150
961	1358			64	30	94
962	1359			25	84	109
963	1360			40	101	141
964	1361			26	51	77
965	1362			9	19	28
966	1363			9	68	77
967	1364			-8	21	13
968	1365			24	64	88
969	1366			4	33	37
970	1367			84	89	173
971	1368			22	47	69
972	1369			2	46	48
973	1372			32	82	114
974	1373			84	46	130
975	1374			43	86	129
976	1376			4	49	53
977	1377			55	76	131

				Aptitude	Test Result	announced
978	1378			87	63	150
979	1379			16	102	118
980	1380			92	60	152
981	1381			11	47	58
982	1382			13	18	31
983	1383			44	98	142
984	1384			48	102	150
985	1387			94	42	136
986	1388			56	33	89
987	1389			33	72	105
988	1390			29	22	51
989	1391			18	71	89
990	1392			10	71	81
991	1393			61	56	117
992	1394			37	55	92
993	1395			60	47	107
994	1396			9	36	45
995	1397			4	38	42
996	1398			46	111	157
997	1399			73	86	159
998	1400			47	89	136
999	1401			34	74	108
1000	1402			76	73	149
1001	1403			48	63	111
1002	1404			6	64	70
1003	1405			85	115	200
1004	1406			52	53	105
1005	1407			89	113	202
1006	1408			18	99	117
1007	1411			52	92	144
1008	1412			47	65	112
1009	1413			76	103	179

				Aptitude	Test Result	announced
1010	1416			50	109	159
1011	1417			17	73	90
1012	1418			46	58	104
1013	1419			77	67	144
1014	1420			81	56	137
1015	1421			11	50	61
1016	1422			11	57	68
1017	1423			29	88	117
1018	1424			35	70	105
1019	1425			50	53	103
1020	1426			44	96	140
1021	1428			78	86	164
1022	1429			34	106	140
1023	1430			49	78	127
1024	1431			33	74	107
1025	1432			44	76	120
1026	1433			56	83	139
1027	1434			20	47	67
1028	1435			37	70	107
1029	1436			87	109	196
1030	1437			40	78	118
1031	1438			61	78	139
1032	1440			24	37	61
1033	1442			55	97	152
1034	1443			2	46	48
1035	1445			23	78	101
1036	1446			30	24	54
1037	1447			-4	77	73
1038	1448			59	45	104
1039	1449			58	69	127
1040	1450			15	51	66
1041	1451			53	70	123

				Aptitude	Test Result	announced
1042	1452			11	84	95
1043	1453			31	73	104
1044	1456			46	101	147
1045	1457			23	79	102
1046	1458			39	41	80
1047	1459			89	127	216
1048	1460			54	116	170
1049	1462			38	91	129
1050	1463			70	39	109
1051	1464			27	94	121
1052	1466			24	90	114
1053	1467			89	116	205
1054	1468			23	87	110
1055	1469			50	68	118
1056	1470			52	79	131
1057	1471			68	57	125
1058	1472			15	105	120
1059	1473			21	11	32
1060	1474			26	44	70
1061	1475			27	69	96
1062	1477			74	98	172
1063	1479			75	126	201
1064	1482			24	50	74
1065	1483			-10	51	41
1066	1484			71	102	173
1067	1487			12	72	84
1068	1488			82	82	164
1069	1490			74	70	144
1070	1491			87	101	188
1071	1492			89	135	224
1072	1494			83	74	157
1073	1495			37	74	111

				Aptitude	Test Result	announced
1074	1497			92	62	154
1075	1498			87	142	229
1076	1499			53	83	136
1077	1500			24	47	71
1078	1501			67	86	153
1079	1502			60	70	130
1080	1503			21	70	91
1081	1504			62	106	168
1082	1505			22	89	111
1083	1506			34	67	101
1084	1508			11	116	127
1085	1510			27	36	63
1086	1512			81	99	180
1087	1513			5	77	82
1088	1514			22	99	121
1089	1516			76	98	174
1090	1517			38	53	91
1091	1518			15	57	72
1092	1519			14	64	78
1093	1520			26	62	88
1094	1521			43	34	77
1095	1522			40	65	105
1096	1523			61	88	149
1097	1524			51	77	128
1098	1525			33	106	139
1099	1526			26	39	65
1100	1527			82	82	164
1101	1528			75	85	160
1102	1529			15	37	52
1103	1530			62	83	145
1104	1531			43	46	89
1105	1532			50	66	116



				Aptitude	Test Result	announced
1106	1533			40	92	132
1107	1534			10	41	51
1108	1535			35	67	102
1109	1536			40	51	91
1110	1538			40	51	91
1111	1539			34	51	85
1112	1540			15	31	46
1113	1541			24	32	56
1114	1542			18	84	102
1115	1543			55	87	142
1116	1544			35	106	141
1117	1545			0	43	43
1118	1546			24	53	77
1119	1547			7	45	52
1120	1548			7	31	38
1121	1549			13	24	37
1122	1550			34	96	130
1123	1551			6	9	15
1124	1553			3	63	66
1125	1554			53	81	134
1126	1555			34	88	122
1127	1556			62	120	182
1128	1558			5	60	65
1129	1559			15	71	86
1130	1560			76	120	196
1131	1561			16	22	38
1132	1563			58	90	148
1133	1564			40	92	132
1134	1565			-12	34	22
1135	1566			41	75	116
1136	1567			25	29	54
1137	1569			60	37	97

				Aptitude	Test Result	announced
1138	1570			0	47	47
1139	1571			71	62	133
1140	1572			2	56	58
1141	1573			65	57	122
1142	1574			1	84	85
1143	1575			18	107	125
1144	1576			1	45	46
1145	1577			14	64	78
1146	1580			26	65	91
1147	1582			30	12	42
1148	1583			62	67	129
1149	1584			49	49	98
1150	1585			50	76	126
1151	1586			7	59	66
1152	1587			-12	54	42
1153	1588			11	70	81
1154	1589			57	125	182
1155	1591			32	64	96
1156	1592			89	100	189
1157	1593			25	33	58
1158	1594			3	6	9
1159	1595			23	89	112
1160	1596			10	21	31
1161	1597			74	69	143
1162	1598			28	85	113
1163	1599			-10	50	40
1164	1600			76	50	126
1165	1602			-4	77	73
1166	1603			49	105	154
1167	1604			62	66	128
1168	1605			26	64	90
1169	1606			49	57	106

				Aptitude	Test Result	announced
1170	1607			47	54	101
1171	1608			69	39	108
1172	1609			-1	40	39
1173	1610			30	1	31
1174	1612			11	100	111
1175	1613			1	46	47
1176	1616			16	32	48
1177	1618			6	66	72
1178	1619			65	78	143
1179	1621			18	44	62
1180	1622			92	70	162
1181	1623			72	49	121
1182	1624			61	42	103
1183	1625			55	88	143
1184	1626			42	97	139
1185	1627			62	71	133
1186	1628			54	52	106
1187	1629			62	32	94
1188	1630			21	47	68
1189	1631			63	86	149
1190	1633			66	63	129
1191	1635			38	76	114
1192	1636			36	107	143
1193	1640			48	41	89
1194	1641			7	36	43
1195	1642			21	71	92
1196	1643			-9	28	19
1197	1644			49	112	161
1198	1646			4	64	68
1199	1647			27	44	71
1200	1648			14	54	68
1201	1649			60	60	120

				Aptitude	Test Result	announced
1202	1650			47	128	175
1203	1652			32	48	80
1204	1653			-12	22	10
1205	1654			-3	61	58
1206	1655			-6	72	66
1207	1656			75	97	172
1208	1657			78	57	135
1209	1658			20	73	93
1210	1660			8	49	57
1211	1662			46	141	187
1212	1663			26	44	70
1213	1664			3	11	14
1214	1665			61	36	97
1215	1666			46	113	159
1216	1668			9	59	68
1217	1669			-9	62	53
1218	1670			71	67	138
1219	1671			13	47	60
1220	1673			22	92	114
1221	1674			71	67	138
1222	1675			20	67	87
1223	1676			51	86	137
1224	1677			82	56	138
1225	1678			18	8	26
1226	1679			28	64	92
1227	1680			-16	93	77
1228	1681			41	91	132
1229	1682			56	36	92
1230	1683			52	100	152
1231	1684			86	65	151
1232	1685			56	118	174
1233	1686			74	82	156

				Aptitude	Test Result	announced
1234	1687			56	82	138
1235	1688			30	66	96
1236	1689			13	34	47
1237	1690			20	46	66
1238	1691			48	55	103
1239	1692			35	66	101
1240	1693			31	67	98
1241	1694			51	92	143
1242	1695			-10	51	41
1243	1696			15	41	56
1244	1697			21	57	78
1245	1699			22	51	73
1246	1700			1	58	59
1247	1702			118	53	171
1248	1703			75	67	142
1249	1704			49	72	121
1250	1705			76	80	156
1251	1706			17	65	82
1252	1707			54	100	154
1253	1708			71	100	171
1254	1709			61	82	143
1255	1711			43	52	95
1256	1712			62	102	164
1257	1713			82	65	147
1258	1714			8	84	92
1259	1715			32	53	85
1260	1716			68	63	131
1261	1717			30	55	85
1262	1720			52	91	143
1263	1721			46	32	78
1264	1722			99	48	147
1265	1723			58	61	119

				Aptitude	Test Result	announced
1266	1724			54	45	99
1267	1725			62	85	147
1268	1727			44	61	105
1269	1728			67	67	134
1270	1729			78	83	161
1271	1730			88	120	208
1272	1731			39	63	102
1273	1732			27	76	103
1274	1733			20	60	80
1275	1734			67	31	98
1276	1736			42	54	96
1277	1737			85	75	160
1278	1738			48	69	117
1279	1739			35	66	101
1280	1740			67	69	136
1281	1742			80	87	167
1282	1743			9	81	90
1283	1744			13	27	40
1284	1745			70	85	155
1285	1746			-8	38	30
1286	1747			63	83	146
1287	1748			9	26	35
1288	1749			58	65	123
1289	1750			25	124	149
1290	1751			66	66	132
1291	1752			62	131	193
1292	1754			60	74	134
1293	1755			51	89	140
1294	1756			4	41	45
1295	1757			-7	35	28
1296	1758			11	37	48
1297	1759			79	99	178

				Aptitude	Test Result	announced
1298	1760			35	91	126
1299	1761			47	72	119
1300	1762			50	74	124
1301	1763			1	69	70
1302	1764			52	111	163
1303	1765			21	39	60
1304	1766			78	88	166
1305	1767			42	55	97
1306	1768			60	116	176
1307	1769			-25	56	31
1308	1770			-15	52	37
1309	1771			0	36	36
1310	1772			8	78	86
1311	1773			17	27	44
1312	1774			53	36	89
1313	1775			27	68	95
1314	1776			13	35	48
1315	1777			87	51	138
1316	1778			46	23	69
1317	1779			7	31	38
1318	1780			120	59	179
1319	1781			40	68	108
1320	1782			57	76	133
1321	1783			31	68	99
1322	1786			18	36	54
1323	1788			18	37	55
1324	1789			62	57	119
1325	1790			19	51	70
1326	1791			10	106	116
1327	1792			41	38	79
1328	1793			0	9	9
1329	1794			10	10	20

				Aptitude	Test Result	announced
1330	1795			46	21	67
1331	1796			72	90	162
1332	1797			54	82	136
1333	1798			28	52	80
1334	1800			31	74	105
1335	1801			66	73	139
1336	1802			17	87	104
1337	1803			64	58	122
1338	1804			82	69	151
1339	1805			75	105	180
1340	1806			45	75	120
1341	1807			36	65	101
1342	1808			62	61	123
1343	1810			-1	47	46
1344	1811			63	90	153
1345	1812			81	59	140
1346	1813			98	64	162
1347	1814			55	71	126
1348	1815			14	64	78
1349	1817			55	103	158
1350	1818			29	34	63
1351	1819			70	76	146
1352	1821			47	64	111
1353	1822			66	136	202
1354	1823			22	78	100
1355	1824			65	61	126
1356	1825			75	66	141
1357	1826			16	59	75
1358	1827			42	95	137
1359	1828			79	84	163
1360	1829			90	36	126
1361	1830			31	90	121



				Aptitude	Test Result	announced
1362	1831			47	112	159
1363	1832			52	131	183
1364	1833			91	73	164
1365	1834			68	64	132
1366	1836			30	93	123
1367	1837			48	76	124
1368	1838			40	72	112
1369	1839			0	55	55
1370	1840			44	73	117
1371	1841			29	31	60
1372	1842			42	68	110
1373	1843			25	39	64
1374	1844			36	48	84
1375	1845			79	75	154
1376	1847			19	39	58
1377	1848			79	110	189
1378	1849			58	94	152
1379	1850			36	50	86
1380	1853			48	60	108
1381	1854			64	79	143
1382	1855			59	67	126
1383	1856			45	52	97
1384	1857			59	58	117
1385	1858			77	89	166
1386	1859			32	84	116
1387	1860			86	51	137
1388	1861			62	71	133
1389	1862			72	91	163
1390	1864			40	58	98
1391	1865			1	27	28
1392	1866			-10	19	9
1393	1867			46	32	78

				Aptitude	Test Result	announced
1394	1868			66	91	157
1395	1869			50	85	135
1396	1870			-8	45	37
1397	1871			29	51	80
1398	1872			30	82	112
1399	1874			100	67	167
1400	1875			40	70	110
1401	1876			73	65	138
1402	1877			28	79	107
1403	1879			13	103	116
1404	1880			58	91	149
1405	1881			9	76	85
1406	1882			2	71	73
1407	1884			48	105	153
1408	1885			35	53	88
1409	1886			87	113	200
1410	1887			30	62	92
1411	1888			55	54	109
1412	1890			68	17	85
1413	1891			42	89	131
1414	1892			71	58	129
1415	1893			98	66	164
1416	1894			45	36	81
1417	1895			20	59	79
1418	1896			16	14	30
1419	1897			87	95	182
1420	1898			70	66	136
1421	1899			66	43	109
1422	1900			23	9	32
1423	1901			67	63	130
1424	1902			53	109	162
1425	1903			38	42	80

				Aptitude	Test Result	announced
1426	1905			25	45	70
1427	1906			52	97	149
1428	1907			41	99	140
1429	1908			65	92	157
1430	1910			44	77	121
1431	1912			11	25	36
1432	1913			11	32	43
1433	1914			12	85	97
1434	1915			44	35	79
1435	1917			87	57	144
1436	1919			52	64	116
1437	1921			90	41	131
1438	1922			47	76	123
1439	1925			58	94	152
1440	1927			15	61	76
1441	1928			75	96	171
1442	1929			4	41	45
1443	1931			39	83	122
1444	1932			79	96	175
1445	1934			35	37	72
1446	1935			70	121	191
1447	1936			58	61	119
1448	1937			25	76	101
1449	1938			27	49	76
1450	1939			9	56	65
1451	1940			47	89	136
1452	1941			53	88	141
1453	1942			33	53	86
1454	1943			60	97	157
1455	1944			30	81	111
1456	1946			62	119	181
1457	1947			84	74	158

				Aptitude	Test Result	announced
1458	1948			38	38	76
1459	1949			5	52	57
1460	1950			19	61	80
1461	1951			23	82	105
1462	1952			72	98	170
1463	1953			84	92	176
1464	1954			46	82	128
1465	1956			29	31	60
1466	1957			53	91	144
1467	1958			67	54	121
1468	1959			14	40	54
1469	1960			5	51	56
1470	1961			20	66	86
1471	1962			27	38	65
1472	1963			-2	49	47
1473	1964			12	14	26
1474	1965			12	66	78
1475	1966			77	85	162
1476	1967			25	62	87
1477	1968			48	64	112
1478	1969			8	47	55
1479	1970			80	75	155
1480	1971			70	74	144
1481	1972			23	37	60
1482	1973			55	77	132
1483	1974			89	86	175
1484	1975			53	71	124
1485	1976			66	80	146
1486	1977			74	70	144
1487	1978			54	44	98
1488	1979			83	103	186
1489	1980			26	76	102

				Aptitude	Test Result	announced
1490	1981			43	71	114
1491	1983			68	66	134
1492	1984			16	38	54
1493	1985			45	37	82
1494	1986			10	83	93
1495	1988			27	46	73
1496	1989			44	99	143
1497	1990			82	88	170
1498	1991			24	77	101
1499	1992			66	100	166
1500	1993			12	85	97
1501	1994			13	71	84
1502	1995			80	71	151
1503	1996			31	56	87
1504	1997			81	73	154
1505	1999			15	83	98
1506	2002			30	56	86
1507	2003			86	85	171
1508	2004			15	56	71
1509	2005			10	45	55
1510	2006			46	31	77
1511	2007			18	59	77
1512	2008			77	78	155
1513	2009			61	59	120
1514	2010			9	1	10
1515	2011			17	64	81
1516	2012			1	44	45
1517	2013			20	72	92
1518	2014			54	54	108
1519	2016			72	114	186
1520	2017			77	56	133
1521	2018			39	72	111

				Aptitude	Test Result	announced
1522	2019			58	106	164
1523	2021			32	70	102
1524	2022			37	60	97
1525	2025			10	44	54
1526	2026			49	67	116
1527	2027			40	98	138
1528	2028			42	63	105
1529	2030			17	37	54
1530	2031			94	64	158
1531	2032			54	74	128
1532	2034			14	30	44
1533	2035			56	111	167
1534	2036			63	132	195
1535	2037			34	42	76
1536	2038			51	56	107
1537	2039			66	80	146
1538	2041			48	39	87
1539	2042			25	10	35
1540	2043			22	58	80
1541	2044			32	56	88
1542	2045			41	102	143
1543	2046			3	79	82
1544	2047			75	75	150
1545	2048			-4	60	56
1546	2049			49	84	133
1547	2050			63	89	152
1548	2051			89	54	143
1549	2052			79	83	162
1550	2054			34	46	80
1551	2055			56	67	123
1552	2056			10	76	86
1553	2060			2	18	20

				Aptitude	Test Result	announced
1554	2061			8	19	27
1555	2062			43	40	83
1556	2063			23	16	39
1557	2064			73	84	157
1558	2065			36	30	66
1559	2066			-15	66	51
1560	2067			29	76	105
1561	2068			12	56	68
1562	2069			10	69	79
1563	2070			76	91	167
1564	2071			40	41	81
1565	2072			48	71	119
1566	2073			87	42	129
1567	2074			83	119	202
1568	2075			23	117	140
1569	2076			21	49	70
1570	2077			48	61	109
1571	2078			45	51	96
1572	2079			49	64	113
1573	2080			72	8	80
1574	2081			65	62	127
1575	2082			13	74	87
1576	2083			6	24	30
1577	2086			76	74	150
1578	2087			16	39	55
1579	2088			82	71	153
1580	2089			39	84	123
1581	2090			5	73	78
1582	2091			0	51	51
1583	2093			39	58	97
1584	2094			20	44	64
1585	2095			38	81	119

				Aptitude	Test Result	announced
1586	2096			50	72	122
1587	2097			22	82	104
1588	2098			98	57	155
1589	2100			89	69	158
1590	2101			40	81	121
1591	2102			68	104	172
1592	2103			18	65	83
1593	2104			61	81	142
1594	2105			62	105	167
1595	2106			43	96	139
1596	2108			35	42	77
1597	2109			38	30	68
1598	2110			76	42	118
1599	2111			59	92	151
1600	2112			68	50	118
1601	2113			57	101	158
1602	2114			105	55	160
1603	2115			80	59	139
1604	2118			119	40	159
1605	2120			80	95	175
1606	2121			67	113	180
1607	2122			2	74	76
1608	2123			97	40	137
1609	2124			40	86	126
1610	2126			71	80	151
1611	2127			37	39	76
1612	2128			71	66	137
1613	2130			57	74	131
1614	2131			43	90	133
1615	2132			55	124	179
1616	2133			33	90	123
1617	2134			104	63	167



				Aptitude	Test Result	announced
1618	2135			69	93	162
1619	2136			72	74	146
1620	2137			54	69	123
1621	2138			95	48	143
1622	2139			83	83	166
1623	2140			5	54	59
1624	2142			120	54	174
1625	2143			84	37	121
1626	2144			24	28	52
1627	2145			16	71	87
1628	2146			66	67	133
1629	2147			61	129	190
1630	2149			44	78	122
1631	2150			73	77	150
1632	2151			29	25	54
1633	2152			33	63	96
1634	2153			80	63	143
1635	2154			94	72	166
1636	2156			68	50	118
1637	2157			30	67	97
1638	2160			33	68	101
1639	2161			51	88	139
1640	2162			14	48	62
1641	2163			25	69	94
1642	2164			38	58	96
1643	2165			63	99	162
1644	2166			45	84	129
1645	2167			38	55	93
1646	2168			87	59	146
1647	2169			79	87	166
1648	2170			67	61	128
1649	2171			131	54	185

				Aptitude	Test Result	announced
1650	2172			85	50	135
1651	2173			-20	26	6
1652	2174			60	53	113
1653	2175			33	42	75
1654	2178			58	34	92
1655	2180			85	68	153
1656	2181			43	83	126
1657	2183			76	63	139
1658	2184			94	55	149
1659	2185			44	64	108
1660	2186			56	114	170
1661	2187			62	117	179
1662	2188			40	26	66
1663	2189			61	125	186
1664	2190			11	55	66
1665	2191			49	28	77
1666	2194			33	106	139
1667	2195			22	89	111
1668	2196			32	86	118
1669	2197			65	65	130
1670	2198			81	62	143
1671	2199			85	56	141
1672	2201			41	57	98
1673	2202			20	32	52
1674	2203			27	42	69
1675	2204			66	101	167
1676	2205			62	53	115
1677	2206			82	68	150
1678	2208			84	112	196
1679	2209			16	56	72
1680	2210			47	31	78
1681	2211			84	111	195

				Aptitude	Test Result	announced
1682	2212			32	62	94
1683	2213			30	35	65
1684	2214			94	40	134
1685	2215			25	24	49
1686	2216			77	69	146
1687	2217			22	64	86
1688	2218			52	52	104
1689	2219			54	104	158
1690	2220			58	104	162
1691	2221			2	72	74
1692	2222			28	82	110
1693	2223			26	59	85
1694	2225			69	59	128
1695	2226			88	136	224
1696	2227			22	62	84
1697	2228			38	58	96
1698	2229			59	75	134
1699	2230			58	51	109
1700	2231			76	50	126
1701	2232			50	72	122
1702	2233			23	42	65
1703	2234			7	32	39
1704	2235			78	63	141
1705	2236			41	22	63
1706	2239			19	46	65
1707	2240			54	76	130
1708	2241			39	34	73
1709	2242			6	43	49
1710	2243			73	105	178
1711	2244			54	38	92
1712	2245			23	88	111
1713	2246			82	69	151

				Aptitude	Test Result	announced
1714	2247			69	109	178
1715	2248			70	118	188
1716	2249			38	73	111
1717	2250			25	79	104
1718	2251			39	65	104
1719	2252			28	65	93
1720	2254			22	88	110
1721	2255			-22	40	18
1722	2256			35	82	117
1723	2257			56	84	140
1724	2258			24	108	132
1725	2259			28	82	110
1726	2260			61	102	163
1727	2261			61	69	130
1728	2262			66	103	169
1729	2263			91	59	150
1730	2264			64	52	116
1731	2266			43	94	137
1732	2267			60	40	100
1733	2268			13	43	56
1734	2269			24	47	71
1735	2271			2	74	76
1736	2272			29	43	72
1737	2273			-27	39	12
1738	2274			40	62	102
1739	2275			25	39	64
1740	2276			56	51	107
1741	2277			55	86	141
1742	2278			55	89	144
1743	2279			100	67	167
1744	2280			-7	34	27
1745	2281			27	47	74
1746	2282			85	132	217

1747	2283			45	54	99
1748	2284			42	53	95
1749	2286			40	70	110
1750	2287			45	43	88
1751	2288			54	65	119
1752	2289			50	57	107
1753	2290			62	38	100
1754	2291			59	80	139
1755	2292			55	63	118
1756	2293			68	68	136
1757	2294			71	29	100
1758	2295			30	107	137
1759	2296			58	66	124
1760	2298			27	131	158
1761	2299			-12	55	43
1762	2300			20	18	38
1763	2301			96	54	150
1764	2302			71	70	141
1765	2303			68	131	199
1766	2304			18	93	111
1767	2307			78	72	150
1768	2308			83	52	135
1769	2309			64	84	148
1770	2310			35	66	101
1771	2314			73	78	151
1772	2315			64	76	140
1773	2318			88	60	148
1774	2319			43	47	90
1775	2320			0	42	42
1776	2321			59	77	136
1777	2322			84	31	115
1778	2323			83	54	137
1779	2324			34	51	85
1780	2325			81	64	145

1781	2326			89	52	141
1782	2327			66	100	166
1783	2328			57	75	132
1784	2331			74	46	120
1785	2336			85	93	178
1786	2337			10	57	67
1787	2338			83	71	154
1788	2339			44	102	146
1789	2340			16	144	160
1790	2341			69	116	185
1791	2342			0	22	22
1792	2343			20	57	77
1793	2344			47	49	96
1794	2345			90	55	145
1795	2346			21	70	91
1796	2347			49	82	131
1797	2348			24	49	73
1798	2349			53	71	124
1799	2350			44	26	70
1800	2351			64	71	135
1801	2352			-4	93	89
1802	2353			19	33	52
1803	2355			-7	65	58
1804	2356			63	83	146
1805	2357			57	81	138
1806	2358			36	77	113
1807	2359			61	97	158
1808	2360			39	71	110
1809	2362			65	58	123
1810	2363			-8	36	28
1811	2364			66	97	163
1812	2365			16	146	162
1813	2366			82	50	132
1814	2367			-2	22	20

				Aptitude	Test 107	Test 116
1815	2369			74	55	129
1816	2370			88	56	144
1817	2371			34	74	108
1818	2372			78	136	214
1819	2373			13	57	70
1820	2374			5	44	49
1821	2375			82	73	155
1822	2376			58	70	128
1823	2377			14	109	123
1824	2380			62	92	154
1825	2381			88	45	133
1826	2383			12	66	78
1827	2384			33	35	68
1828	2385			75	89	164
1829	2386			64	87	151
1830	2387			68	108	176
1831	2388			81	39	120
1832	2389			63	51	114
1833	2390			61	55	116
1834	2391			30	94	124
1835	2393			29	96	125
1836	2394			55	59	114
1837	2395			15	94	109
1838	2396			61	84	145
1839	2397			49	88	137
1840	2398			58	63	121
1841	2399			89	82	171
1842	2400			58	71	129
1843	2402			81	96	177
1844	2403			4	31	35
1845	2404			44	90	134
1846	2406			69	107	176
1847	2407			58	91	149
1848	2408					

1849	2410			14	32	46
1850	2411			58	44	102
1851	2412			68	51	119
1852	2413			57	74	131
1853	2415			19	64	83
1854	2416			63	62	125
1855	2417			70	80	150
1856	2418			44	86	130
1857	2419			18	47	65
1858	2420			0	66	66
1859	2421			14	28	42
1860	2424			33	63	96
1861	2425			57	56	113
1862	2426			62	103	165
1863	2428			18	39	57
1864	2429			77	97	174
1865	2430			82	85	167
1866	2431			13	67	80
1867	2432			76	104	180
1868	2433			38	74	112
1869	2434			39	49	88
1870	2435			65	83	148
1871	2436			29	77	106
1872	2438			16	31	47
1873	2439			34	44	78
1874	2440			55	62	117
1875	2441			16	38	54
1876	2442			55	90	145
1877	2443			20	31	51
1878	2444			8	16	24
1879	2446			25	57	82
1880	2447			64	54	118
1881	2448			58	65	123
1882	2449			87	75	162



1883	2450			63	85	148
1884	2451			85	80	165
1885	2452			76	38	114
1886	2453			43	84	127
1887	2454			87	69	156
1888	2455			34	74	108
1889	2456			39	60	99
1890	2457			32	126	158
1891	2458			73	58	131
1892	2459			10	40	50
1893	2460			69	78	147
1894	2461			31	111	142
1895	2463			23	55	78
1896	2467			14	81	95
1897	2469			88	100	188
1898	2470			30	19	49
1899	2471			54	76	130
1900	2473			51	59	110
1901	2474			86	107	193
1902	2475			82	105	187
1903	2476			66	60	126
1904	2477			47	64	111
1905	2478			52	70	122
1906	2479			29	60	89
1907	2480			59	84	143
1908	2481			86	90	176
1909	2482			70	99	169
1910	2483			30	48	78
1911	2484			32	51	83
1912	2485			48	76	124
1913	2486			15	105	120
1914	2487			51	76	127
1915	2488			92	68	160
1916	2489			40	26	66

				Aptitude Test	Result	and
1917	2490			71	91	162
1918	2491			24	115	139
1919	2492			14	76	90
1920	2493			45	66	111
1921	2494			5	46	51
1922	2495			15	92	107
1923	2496			27	83	110
1924	2497			75	103	178
1925	2498			19	30	49
1926	2499			18	35	53
1927	2500			46	41	87
1928	2503			67	93	160
1929	2504			46	45	91
1930	2505			2	61	63
1931	2506			25	21	46
1932	2507			15	51	66
1933	2508			68	80	148
1934	2509			23	73	96
1935	2510			11	41	52
1936	2511			58	54	112
1937	2512			25	47	72
1938	2513			42	101	143
1939	2514			61	82	143
1940	2515			33	34	67
1941	2516			43	62	105
1942	2517			60	73	133
1943	2518			42	66	108
1944	2519			20	34	54
1945	2520			39	72	111
1946	2521			62	100	162
1947	2522			51	54	105
1948	2523			22	26	48
1949	2524			50	106	156
1950	2525			33	111	144

1951	2527			49	59	108
1952	2528			15	71	86
1953	2529			73	91	164
1954	2530			20	126	146
1955	2531			20	76	96
1956	2532			93	63	156
1957	2533			29	54	83
1958	2534			0	21	21
1959	2535			41	45	86
1960	2536			89	87	176
1961	2537			87	84	171
1962	2538			70	69	139
1963	2539			37	100	137
1964	2540			-3	17	14
1965	2541			80	85	165
1966	2542			69	47	116
1967	2543			65	75	140
1968	2544			61	62	123
1969	2545			71	83	154
1970	2546			35	50	85
1971	2547			47	64	111
1972	2548			30	95	125
1973	2549			76	116	192
1974	2550			57	74	131
1975	2552			57	68	125
1976	2553			-29	67	38
1977	2554			33	54	87
1978	2555			36	44	80
1979	2556			81	88	169
1980	2557			19	54	73
1981	2558			30	48	78
1982	2559			41	51	92
1983	2561			5	43	48
1984	2562			81	87	168

1985	2563			61	122	150
1986	2564			13	62	75
1987	2565			73	70	143
1988	2567			49	68	117
1989	2568			66	110	176
1990	2569			80	79	159
1991	2570			77	62	139
1992	2571			78	72	150
1993	2572			15	27	42
1994	2573			55	84	139
1995	2574			4	41	45
1996	2575			-2	45	43
1997	2577			10	46	56
1998	2578			15	38	53
1999	2579			15	76	91
2000	2580			31	55	86
2001	2581			54	87	141
2002	2582			6	96	102
2003	2583			24	68	92
2004	2584			49	48	97
2005	2589			4	82	86
2006	2590			14	59	73
2007	2591			47	82	129
2008	2592			75	84	159
2009	2593			0	63	63
2010	2594			33	67	100
2011	2595			20	58	78
2012	2596			96	65	161
2013	2597			40	44	84
2014	2599			3	25	28
2015	2600			9	45	54
2016	2601			19	83	102
2017	2602			15	133	148
2018	2603			67	56	123

2019	2604			13	55	68
2020	2605			14	19	33
2021	2607			67	74	141
2022	2609			46	84	130
2023	2610			64	57	121
2024	2611			0	71	71
2025	2615			56	85	141
2026	2616			29	24	53
2027	2617			62	69	131
2028	2619			68	89	157
2029	2620			37	49	86
2030	2621			70	55	125
2031	2622			19	85	104
2032	2623			66	51	117
2033	2625			82	59	141
2034	2626			46	78	124
2035	2627			94	72	166
2036	2628			19	55	74
2037	2629			53	87	140
2038	2630			53	97	150
2039	2632			75	65	140
2040	2633			66	76	142
2041	2634			17	70	87
2042	2635			33	53	86
2043	2636			80	79	159
2044	2637			67	70	137
2045	2638			24	49	73
2046	2639			23	68	91
2047	2645			60	51	111
2048	2647			51	111	162
2049	2649			62	55	117
2050	2650			84	40	124
2051	2651			42	67	109
2052	2652			16	71	87

2053	2653			65	72	137
2054	2654			51	86	137
2055	2655			13	55	68
2056	2656			84	65	149
2057	2657			68	109	177
2058	2658			68	51	119
2059	2659			51	87	138
2060	2661			23	81	104
2061	2662			45	54	99
2062	2663			15	30	45
2063	2664			2	61	63
2064	2667			30	66	96
2065	2669			67	107	174
2066	2670			34	73	107
2067	2671			8	46	54
2068	2672			6	68	74
2069	2673			34	55	89
2070	2674			27	53	80
2071	2675			35	61	96
2072	2676			62	82	144
2073	2678			5	86	91
2074	2679			61	113	174
2075	2681			62	66	128
2076	2682			94	59	153
2077	2685			89	92	181
2078	2686			27	40	67
2079	2687			34	39	73
2080	2688			28	52	80
2081	2689			9	60	69
2082	2690			85	67	152
2083	2691			8	43	51
2084	2692			85	55	140
2085	2693			33	62	95
2086	2694			89	99	188

2087	2695			69	76	115
2088	2696			77	115	192
2089	2698			71	92	163
2090	2699			58	98	156
2091	2700			83	106	189
2092	2701			24	62	86
2093	2702			89	61	150
2094	2703			7	62	69
2095	2704			66	49	115
2096	2706			51	76	127
2097	2708			73	86	159
2098	2709			51	85	136
2099	2710			75	68	143
2100	2711			35	90	125
2101	2712			79	114	193
2102	2713			26	70	96
2103	2714			15	31	46
2104	2716			65	97	162
2105	2717			42	99	141
2106	2718			29	98	127
2107	2719			32	67	99
2108	2720			35	26	61
2109	2721			40	98	138
2110	2722			41	46	87
2111	2723			55	102	157
2112	2724			12	117	129
2113	2725			71	49	120
2114	2726			87	95	182
2115	2727			15	52	67
2116	2729			41	74	115
2117	2730			39	110	149
2118	2731			35	68	103
2119	2732			13	74	87
2120	2733			82	96	178

2121	2734			51	109	160
2122	2735			27	109	136
2123	2736			8	41	49
2124	2737			82	90	172
2125	2738			0	51	51
2126	2739			22	63	85
2127	2740			41	101	142
2128	2742			28	43	71
2129	2743			60	91	151
2130	2744			46	128	174
2131	2745			8	91	99
2132	2746			66	70	136
2133	2747			45	67	112
2134	2749			99	70	169
2135	2750			28	85	113
2136	2751			40	104	144
2137	2752			1	11	12
2138	2753			86	54	140
2139	2754			96	48	144
2140	2756			65	78	143
2141	2757			39	69	108
2142	2758			19	89	108
2143	2759			63	106	169
2144	2760			43	56	99
2145	2762			56	77	133
2146	2763			24	71	95
2147	2765			71	125	196
2148	2766			-9	27	18
2149	2767			32	118	150
2150	2768			42	69	111
2151	2769			54	74	128
2152	2770			15	66	81
2153	2771			27	51	78
2154	2772			40	23	63



2155	2773			53	61	114
2156	2774			6	33	39
2157	2775			2	11	13
2158	2776			46	56	102
2159	2777			72	105	177
2160	2778			25	76	101
2161	2779			22	25	47
2162	2780			30	86	116
2163	2781			65	77	142
2164	2782			22	47	69
2165	2783			62	106	168
2166	2784			49	109	158
2167	2786			16	47	63
2168	2787			38	85	123
2169	2788			3	61	64
2170	2789			62	87	149
2171	2790			-3	36	33
2172	2791			25	41	66
2173	2792			77	80	157
2174	2793			-13	28	15
2175	2794			65	77	142
2176	2795			52	67	119
2177	2796			64	55	119
2178	2797			75	112	187
2179	2798			58	81	139
2180	2799			34	90	124
2181	2800			-8	19	11
2182	2801			45	67	112
2183	2802			27	45	72
2184	2803			67	92	159
2185	2804			13	73	86
2186	2805			76	94	170
2187	2806			44	84	128
2188	2808			58	71	129

2189	2809			25	38	63
2190	2810			71	54	125
2191	2812			38	51	89
2192	2813			18	29	47
2193	2815			-1	39	38
2194	2816			57	48	105
2195	2817			69	59	128
2196	2818			69	76	145
2197	2819			63	73	136
2198	2820			50	76	126
2199	2823			61	84	145
2200	2824			86	52	138
2201	2825			95	61	156
2202	2826			20	69	89
2203	2827			18	43	61
2204	2828			-1	40	39
2205	2829			77	70	147
2206	2830			48	56	104
2207	2831			26	44	70
2208	2832			62	78	140
2209	2833			42	71	113
2210	2834			30	102	132
2211	2835			47	65	112
2212	2836			69	103	172
2213	2837			-5	27	22
2214	2838			79	103	182
2215	2839			10	61	71
2216	2840			53	40	93
2217	2842			70	72	142
2218	2843			74	118	192
2219	2844			83	66	149
2220	2845			77	58	135
2221	2846			30	67	97
2222	2848			64	36	100

2223	2849			79	57	136
2224	2850			40	24	64
2225	2851			44	-1	43
2226	2852			52	63	115
2227	2853			13	56	69
2228	2854			13	69	82
2229	2855			82	79	161
2230	2856			85	51	136
2231	2857			55	107	162
2232	2858			-4	55	51
2233	2859			77	85	162
2234	2860			34	79	113
2235	2861			12	62	74
2236	2862			12	36	48
2237	2863			48	86	134
2238	2864			-3	36	33
2239	2866			61	51	112
2240	2868			20	107	127
2241	2869			38	103	141
2242	2870			50	110	160
2243	2871			46	81	127
2244	2872			89	83	172
2245	2873			46	42	88
2246	2874			55	101	156
2247	2875			27	68	95
2248	2876			-1	60	59
2249	2877			11	58	69
2250	2878			13	80	93
2251	2879			29	126	155
2252	2881			65	56	121
2253	2882			16	74	90
2254	2883			1	56	57
2255	2884			58	120	178
2256	2885			-5	34	29

2257	2886			73	93	166
2258	2887			39	36	75
2259	2888			51	121	172
2260	2889			2	81	83
2261	2890			12	31	43
2262	2891			65	66	131
2263	2892			53	75	128
2264	2893			44	106	150
2265	2894			2	47	49
2266	2895			68	48	116
2267	2896			42	65	107
2268	2897			22	83	105
2269	2898			27	63	90
2270	2899			71	62	133
2271	2900			85	128	213
2272	2901			110	44	154
2273	2902			68	74	142
2274	2903			66	60	126
2275	2904			62	57	119
2276	2906			10	17	27
2277	2907			63	46	109
2278	2908			32	22	54
2279	2909			85	68	153
2280	2910			69	72	141
2281	2911			10	47	57
2282	2912			61	58	119
2283	2913			24	63	87
2284	2915			36	47	83
2285	2916			53	48	101
2286	2917			8	72	80
2287	2919			51	58	109
2288	2920			-8	34	26
2289	2921			-3	103	100
2290	2922			32	86	118

2291	2924			Aptitude	Test Result	Announced
2292	2925			59	98	157
2293	2926			25	32	57
2294	2927			35	75	110
2295	2928			51	29	80
2296	2929			4	72	76
2297	2930			18	72	90
2298	2931			32	53	85
2299	2932			85	68	153
2300	2933			8	43	51
2301	2934			89	101	190
2302	2935			5	93	98
2303	2936			48	92	140
2304	2937			14	71	85
2305	2938			37	43	80
2306	2939			7	44	51
2307	2940			53	52	105
2308	2941			69	77	146
2309	2942			20	52	72
2310	2943			92	40	132
2311	2944			9	71	80
2312	2945			25	80	105
2313	2946			33	70	103
2314	2947			76	121	197
2315	2948			33	29	62
2316	2949			10	50	60
2317	2950			32	45	77
2318	2951			64	98	162
2319	2952			34	130	164
2320	2953			38	86	124
2321	2954			22	53	75
2322	2955			105	63	168
2323	2956			99	59	158
2324	2957			53	78	131

2325	2958			Applied	Test	Result	and	61
2326	2959			63	85	148		
2327	2960			34	67	101		
2328	2961			53	61	114		
2329	2962			57	97	154		
2330	2964			40	100	140		
2331	2965			4	53	57		
2332	2966			-1	13	12		
2333	2967			49	61	110		
2334	2968			45	51	96		
2335	2969			9	99	108		
2336	2970			23	49	72		
2337	2971			7	91	98		
2338	2972			18	61	79		
2339	2973			58	55	113		
2340	2974			45	112	157		
2341	2975			18	37	55		
2342	2976			82	54	136		
2343	2977			52	102	154		
2344	2978			43	65	108		
2345	2979			16	66	82		
2346	2981			85	119	204		
2347	2982			53	127	180		
2348	2983			-2	64	62		
2349	2984			58	79	137		
2350	2985			80	90	170		
2351	2986			28	91	119		
2352	2987			46	69	115		
2353	2989			71	96	167		
2354	2991			93	44	137		
2355	2993			7	62	69		
2356	2994			20	42	62		
2357	2995			56	59	115		
2358	2996			84	94	178		

2359	2997			74	119	193
2360	2998			4	31	35
2361	2999			10	45	55
2362	3000			45	55	100
2363	3001			53	48	101
2364	3002			5	46	51
2365	3003			48	59	107
2366	3004			5	30	35
2367	3005			8	32	40
2368	3007			7	70	77
2369	3008			1	43	44
2370	3009			51	107	158
2371	3010			61	68	129
2372	3011			36	46	82
2373	3012			31	34	65
2374	3014			16	82	98
2375	3015			55	74	129
2376	3016			2	35	37
2377	3017			5	50	55
2378	3018			17	50	67
2379	3019			20	76	96
2380	3020			36	64	100
2381	3021			44	72	116
2382	3022			2	44	46
2383	3023			26	99	125
2384	3024			51	106	157
2385	3026			33	64	97
2386	3028			28	121	149
2387	3029			35	84	119
2388	3030			11	74	85
2389	3031			24	75	99
2390	3032			12	68	80
2391	3033			55	120	175
2392	3034			60	47	107

2393	3035			Applied	Test Result	and	135	Placed
2394	3036			58	77		105	Date: March 10, 2016
2395	3037			16	54		70	
2396	3038			10	75		85	
2397	3039			21	73		94	
2398	3040			6	43		49	
2399	3041			55	55		110	
2400	3043			21	94		115	
2401	3044			27	55		82	
2402	3045			34	113		147	
2403	3047			20	108		128	
2404	3048			32	91		123	
2405	3049			38	96		134	
2406	3050			12	48		60	
2407	3051			13	31		44	
2408	3052			15	55		70	
2409	3053			55	95		150	
2410	3054			37	54		91	
2411	3055			52	68		120	
2412	3056			32	111		143	
2413	3057			28	62		90	
2414	3058			54	120		174	
2415	3059			48	75		123	
2416	3060			63	93		156	
2417	3061			39	95		134	
2418	3064			3	68		71	
2419	3065			38	53		91	
2420	3066			-6	18		12	
2421	3067			3	52		55	
2422	3068			30	58		88	
2423	3069			74	85		159	
2424	3070			84	87		171	
2425	3071			17	106		123	
2426	3072			-10	50		40	
				71	126		197	



2427	3073			57	36	93
2428	3074			85	44	129
2429	3075			19	112	131
2430	3076			46	108	154
2431	3077			27	13	40
2432	3078			17	67	84
2433	3079			37	50	87
2434	3080			23	76	99
2435	3081			23	54	77
2436	3082			38	61	99
2437	3083			23	38	61
2438	3084			11	46	57
2439	3085			0	6	6
2440	3086			22	70	92
2441	3087			68	45	113
2442	3088			39	70	109
2443	3089			23	63	86
2444	3090			89	56	145
2445	3091			28	96	124
2446	3092			61	68	129
2447	3093			82	65	147
2448	3094			14	125	139
2449	3095			57	89	146
2450	3096			37	47	84
2451	3097			8	2	10
2452	3098			8	66	74
2453	3099			26	57	83
2454	3100			36	31	67
2455	3101			30	41	71
2456	3102			53	52	105
2457	3103			30	72	102
2458	3105			42	37	79
2459	3106			76	85	161
2460	3107			66	112	178

2461	3108			56	67	120
2462	3109			47	110	157
2463	3110			41	-4	37
2464	3111			59	56	115
2465	3112			11	62	73
2466	3113			34	51	85
2467	3114			86	96	182
2468	3115			-23	41	18
2469	3117			46	76	122
2470	3119			3	65	68
2471	3120			36	60	96
2472	3121			46	100	146
2473	3122			39	132	171
2474	3123			73	55	128
2475	3124			61	81	142
2476	3125			56	105	161
2477	3127			54	109	163
2478	3128			45	105	150
2479	3129			11	78	89
2480	3130			31	73	104
2481	3132			44	96	140
2482	3133			29	72	101
2483	3135			81	75	156
2484	3136			65	72	137
2485	3138			26	86	112
2486	3139			44	72	116
2487	3140			43	35	78
2488	3142			13	41	54
2489	3143			11	49	60
2490	3144			49	87	136
2491	3146			56	114	170
2492	3147			25	41	66
2493	3148			76	43	119
2494	3149			62	76	138

2495	3150			15	25	10
2496	3151			42	5	47
2497	3152			82	123	205
2498	3153			1	39	40
2499	3154			17	56	73
2500	3156			30	57	87
2501	3158			54	61	115
2502	3159			17	35	52
2503	3162			8	50	58
2504	3163			47	65	112
2505	3166			2	59	61
2506	3167			26	60	86
2507	3169			21	34	55
2508	3170			25	43	68
2509	3171			26	87	113
2510	3172			43	91	134
2511	3173			43	46	89
2512	3174			14	99	113
2513	3176			5	85	90
2514	3177			7	30	37
2515	3178			15	36	51
2516	3179			21	23	44
2517	3180			52	72	124
2518	3181			10	16	26
2519	3182			21	34	55
2520	3183			98	47	145
2521	3184			60	87	147
2522	3186			94	48	142
2523	3187			65	88	153
2524	3188			36	75	111
2525	3191			76	134	210
2526	3192			7	59	66
2527	3194			16	54	70
2528	3195			25	131	156

				58	70	128
2529	3196			40	101	141
2530	3197			-11	44	33
2531	3198			12	32	44
2532	3199			26	69	95
2533	3200			8	56	64
2534	3201			62	43	105
2535	3203			20	72	92
2536	3204			5	53	58
2537	3205			58	128	186
2538	3206			23	30	53
2539	3208			43	20	63
2540	3209			12	83	95
2541	3210			62	35	97
2542	3211			4	102	106
2543	3212			-17	62	45
2544	3213			18	36	54
2545	3214			20	59	79
2546	3215			30	103	133
2547	3217			40	94	134
2548	3219			87	116	203
2549	3220			64	67	131
2550	3221			78	73	151
2551	3222			15	30	45
2552	3223			27	47	74
2553	3225			0	22	22
2554	3226					

Applied Test Result and Date: March 10, 2016

**Dr. Nasir Touheed**  
Coordinator, Testing Service

**Dr. Ishrat Husain**  
Dean & Director, IBA